



★ Current facilities

★ Planned facilities

“We will provide quality products that meet or exceed our customers’ expectations while we pursue continuous improvements.”

## Broad Product Offering

Paint & Finishing

HVAC

Industrial Dust & Liquid

Molecular

Cleanroom

Bio-Safety & Cleanbench

Filter Media & Nonwovens

Power Systems

Safety & Engineered Products

## Customer Focused

In-house technical experts

Rapid prototyping

Flexible production

In-house testing

E-commerce

Preferred stocking programs

Extensive distribution network throughout North America

Dedicated customer support



**FILTRATION GROUP**

**FILTRATION GROUP**

Phone: 877-FGI-TEAM (344-8326)

Fax: 800-518-1162

[www.filtrationgroup.com](http://www.filtrationgroup.com)

e-mail: [aerostar@filtrationgroup.com](mailto:aerostar@filtrationgroup.com)

© FGI 10/01

# Paint and Finishing

Custom Solutions To Meet Your Filtration Requirements



Automotive

Heavy Equipment

Aerospace

Furniture


Parts



**FILTRATION GROUP**

## Intake Filters

### Poly Cubes



#### Prefiltration

- 1, 2, and 3 pocket
- Self-sealing gasket
- Dual layer media
- Galvanized metal ring


### 3 Ply Panels/Links



#### Prefiltration

- Three stage filtration
- High dust holding
- Wet tack holds dust
- Self-sealing gasket

### SoniQ Pocket



#### Final Filter

- Up to 95% efficient
- No needle holes
- Fine denier poly media
- Various depths and sizes

# Paint and

## Overspray Filters

### Polyester



#### Highest Efficiency

- Dual layer construction
- 3.7 to 5.5 lbs. capacity
- 99.5% to 99.8% efficient
- Four standard styles
- Custom styles available
- Rolls, blankets, pads
- Up to 84" width

### Expanded Paper



#### Longest Life

- Six or eight layers
- 4.6 to 8.1 lbs. capacity
- 96.5% to 98.0% efficient
- 20/20, 20/25 pads

### Fiberglass



#### Most Economical

- 15 grams/sq. foot
- 2" loft with tack
- Rolls, blankets, pads
- Up to 48" width

## FP Minipleat



### Final Filter

- Up to 95% efficient
- Low initial resistance
- High dust holding
- 193 sq. feet of media

## M3 Panels/Links



### Diffusion

- Self-sealing gasket
- Non-migrating tack
- Gradient density
- Dual stage filtration

## R-1 Filters



### Diffusion

- Media and panels
- DOWNDRAFT and CROSSDRAFT
- 3/4" with scrim-backing
- Tackified throughout

# Finishing

## Other Filters

### ASHRAE HT



- 95% dust spot efficiency
- 500° and 700° versions
- Face-grill standard
- Single header

### Liquid



- E-Coat liquid filter bags
- OEM replacement bags
- Variety of media styles

### Powder Coat



- Powder pulse cartridges
- OEM replacement cartridges
- Variety of media styles